

1. NEW ADDITION WILL BE 2"X6" FRAMING

2.R-30 INSULATING IN IN SUSPENDED CELING

3.R-13 IN WALLS

4. NO WINDOWS

5. TWO DOORS CUT INTO **EXISTING CLINIC** 

6.ADDITION WILL BE MADE UP OF 6 TREATMENT ROOMS

7.EACH TREATMENT ROOM WILL HAVE A 48" BASE CABINET WITH SINK AND 48"WALL HUNG CABINET WITH LAMINATED WITH FORMICA

8. FLOOR WILL BE VC TILE


9.ALL TREATMENT ROOMS WILL HAVE GFI OUTLETS

10.SUSPENDED CELING WILL HAVE MOUNTED FLUORCENT LIGHTING

11.AC-HVAC WITHDUCTS AND RETURNS IN EACH ROOM

12.NEW ADDITION WILL HAVE 5 TON HVAC UNIT TO HEAT AND COOL

FOUNDATION PLAN FOOTINGS WILL BE 24"DEEP WITH 5/8" REBAR WITH STIRRUPS EVERY 24" AND 5/8"CORNER PICES TOP AND BOTTOM ACCORDING TO CODE SLAB WILL BE A MINIMUM OF 4" DEEP WITH REBAR ON 24" CENTERS



Autodesk Revit

www.autodesk.com/revit

Consultant Address Address Address Phone

Consultant Address Address Address Phone

No.	Description	Date

Owner

**Project Name** 

Superstructure

Project Number Issue Date Author Checker

102

1/8" = 1'-0"

1 Level 1